

# HAProxy кластер

```
sudo apt install haproxy keepalived -y
```

[/etc/haproxy/haproxy.cfg](#)

```
...
frontend stats
  mode http
  bind *:8404
  stats enable
  stats uri /stats
  stats refresh 2s
  stats admin if LOCALHOST

frontend localnodes
  bind *:80
  mode tcp
  default_backend nodes

backend nodes
  mode tcp
  balance leastconn
  server web01 192.168.25.188:80 check inter 2s
  server web02 192.168.25.189:80 check inter 2s
```

[/etc/keepalived/keepalived.conf](#)

```
vrrp_track_process track_haproxy {
  process haproxy
  delay 1
}
vrrp_instance VI_1 {
  state MASTER
#  state BACKUP
  interface eth1
  virtual_router_id 101
  priority 20
#  priority 10
  advert_int 1
  authentication {
    auth_type PASS
    auth_pass lqaz2wsx
  }
  virtual_ipaddress {
    192.168.25.185
  }
  track_process {
```

```
track_haproxy
}
```

```
systemctl restart keepalived.service
```

From:

<https://wiki.virtlab.space/> -

Permanent link:

[https://wiki.virtlab.space/common\\_linux:haproxy\\_cluster](https://wiki.virtlab.space/common_linux:haproxy_cluster)

Last update: **2024/12/21 19:00**

