

21. Kubeconfig

Kubeconfig - файл, содержащий перечень доступных кластеров, учетных данных и их комбинаций. Kubeconfig не применяется командой `kubectl` как другие `yaml` файлы, а просто кладётся в директорию пользователя с указанием пути к файлу в `kubectl`.

Пример файла `kubeconfig`

`kubeconfig.yaml`

```
apiVersion: v1
kind: Config

clusters:
- name: production
  cluster:
    certificate-authority: /etc/kubernetes/pki/ca.crt
    server: https://controlplane:6443

- name: development
  cluster:
    certificate-authority: /etc/kubernetes/pki/ca.crt
    server: https://controlplane:6443

- name: kubernetes-on-aws
  cluster:
    certificate-authority: /etc/kubernetes/pki/ca.crt
    server: https://controlplane:6443

- name: test-cluster-1
  cluster:
    certificate-authority: /etc/kubernetes/pki/ca.crt
    server: https://controlplane:6443

contexts:
- name: test-user@development
  context:
    cluster: development
    user: test-user

- name: aws-user@kubernetes-on-aws
  context:
    cluster: kubernetes-on-aws
    user: aws-user

- name: test-user@production
  context:
```

```
cluster: production
user: test-user

- name: research
  context:
    cluster: test-cluster-1
    user: dev-user

users:
- name: test-user
  user:
    client-certificate: /etc/kubernetes/pki/users/test-user/test-user.crt
    client-key: /etc/kubernetes/pki/users/test-user/test-user.key
- name: dev-user
  user:
    client-certificate: /etc/kubernetes/pki/users/dev-user/developer-user.crt
    client-key: /etc/kubernetes/pki/users/dev-user/dev-user.key
- name: aws-user
  user:
    client-certificate: /etc/kubernetes/pki/users/aws-user/aws-user.crt
    client-key: /etc/kubernetes/pki/users/aws-user/aws-user.key

current-context: test-user@development
preferences: {}
```

Просмотр текущего контекста (комбинации кластера и кредов)

```
kubectl config current-config
```

Установить новый файл контекст в kubecontext файле

```
kubectl config --kubeconfig=/root/my-kube-config user-context context-name
```

Использовать определенный kubecontext

```
kubectl COMMAND --kubeconfig=/root/my-kube-config
```

Использовать определенный kubernetes по умолчанию

- заменить файл ~/.kube/config
- установить путь в переменной \$KUBECONFIG

From:

<https://wiki.virtlab.space/> -

Permanent link:

<https://wiki.virtlab.space/kubernetes:kubeconfig>

Last update: **2024/12/21 19:00**

